

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Original) A method of providing a sub-page of a website to a requesting client comprising the steps of:
  - (a) sending to the client, with a copy of a first web page, a plurality of links each of which points to an address within the Internet of a server on which a copy of the sub-page is hosted;
  - (b) actuating one of the links;
  - (c) determining, on the basis of a predetermined criterion, whether actuation of said one of the links has been successful in obtaining the sub-page;
  - (d) if not, actuating another of the links; andrepeating steps (c) and (d) until the first to occur of: all of the links have been actuated; and actuation of a link has been successful in accordance with the predetermined criterion.
2. (Original) A method according to claim 1 wherein the links are actuated in a predetermined order established prior to dispatch to the client.
3. (Original) A method according to claim 1 further comprising the step of displaying an alias for each actuated link at the client.
4. (Original) A method according to claim 3, wherein the alias is an address of a server adapted to translate the alias to an address of a server hosting a copy of the sub-page.
5. (Original) A method according to claim 3 wherein the alias is displayed on a graphical user interface of a program running on the client which is adapted to enable user navigation of the internet.
6. (Original) A method according to claim 3 wherein the alias displayed is the same for each of the links actuated.

Rule 1.126

7

8. (Original) A method according to claim 1 wherein the predetermined criterion is whether, within a predetermined period of time, a predetermined step in a process of establishing connection with a secondary server has been reached.

8

9. (Original) A method according to claim 8 wherein the predetermined step is completion of a connection with a secondary server.

9

10. (Original) A method of operating a web server to provide a sub-page of a website to a requesting client, comprising the steps of:

receiving from a client a request for a first web page;

sending to the client, with the first page, a plurality of links each of which points to an address within the Internet of a server hosting a copy of the sub-page, and code which is executable to:

(a) actuate one of the links;

(b) determine, on the basis of a predetermined criterion, whether actuation of said one of the links has been successful in obtaining the sub-page;

(c) if not, actuating another of the links; and

repeating steps (b) and (c) until the first to occur of: all of the links have been actuated; and actuation of a link has been successful in accordance with the predetermined criterion.

10

11. (Original) A method according to claim 10 wherein the links are actuated in a predetermined order determined established prior to dispatch from the web server.

9

11

12. (Original) A method according to claim 11 wherein code is additionally sent to the client with the first web page which is operable upon actuation of a link, to cause a browser programme to display an alias of the address of a secondary server to which an actuated link points.

10

Rule 1.126 <sup>12</sup>  
~~13.~~ (Currently Amended) A method according to claim <sup>11</sup>~~12~~ 11, wherein the alias is an address of a server adapted to translate the alias to an address of one of the secondary servers.

<sup>13</sup>  
~~14.~~ (Currently Amended) A method according to claim <sup>11</sup>~~12~~ 11 wherein the alias displayed is the same for each of the links actuated.

<sup>14</sup>  
~~15.~~ (Currently Amended) A method according to claim <sup>9</sup>~~10~~ 9 wherein the predetermined criterion is whether, within a predetermined period of time, a predetermined step in a process of establishing connection with a secondary server has been reached.

<sup>15</sup>  
~~16.~~ (Original) A method according to claim <sup>14</sup>~~15~~ wherein the predetermined step is completion of a connection with a secondary server.

<sup>16</sup>  
~~17.~~ (Original) A method according to claim <sup>10</sup>~~11~~ wherein where the same links are sent to different clients, the predetermined order in which the links are actuated is varied.

<sup>17</sup>  
~~18.~~ (Original) A method according to claim <sup>10</sup>~~11~~ wherein the plurality of links sent to a first client machine and the plurality of links sent to a second client machine a different at least in respect of one address of a server hosting the sub-page.

<sup>18</sup>  
~~19.~~ (Original) A method according to claim <sup>17</sup>~~18~~ wherein each link in the plurality of links sent to a first client points to an address of a server which is not replicated in any of the plurality of links sent to a second client.

<sup>19</sup>  
~~20.~~ (Original) A web server adapted to respond to a request from a client by sending to the client a copy of a first web page and to include with the first web page a plurality of links each of which points to an address within the Internet, each predetermined address being an address of a secondary server, the web server being adapted to send with the first web page, in response to said request code executable to:

(a) actuate one of the links;

(b) determine, on the basis of a predetermined criterion, whether actuation of said one of the links has been successful in obtaining the sub-page;  
(c) if not, actuating another of the links; and  
repeating steps (b) and (c) until the first to occur of: all of the links have been actuated; and actuation of a link has been successful in accordance with the predetermined criterion.

Rule 1.124

<sup>20</sup>  
21. (Original) A method according to claim <sup>19</sup>~~20~~ wherein the links are actuated in a predetermined order established prior to dispatch from the client.

<sup>21</sup>  
22. (Original) A web page including a plurality of links each of which points to an address within the Internet of a server on which a copy of a sub-page is hosted, the page including code associated therewith which is actuatable to:

(a) actuate one of the links;  
(b) determine, on the basis of a predetermined criterion, whether actuation of said one of the links has been successful in obtaining the sub-page;  
(c) if not, actuating another of the links; and  
repeating steps (b) and (c) until the first to occur of: all of the links have been actuated; and actuation of a link has been successful in accordance with the predetermined criterion.